


### HILUX



A striking design with bold, aggressive lines puts the Hilux at the forefront of modern bakkies the world over. With new highly advanced engines, an updated six-speed\* transmission and an even more rigid, robust frame, the legendary status of the Hilux has been taken to a whole new level. Furthermore, six new auto models have been added to the range.

CONSIDERED THE BAKKIE OF CHOICE FOR ANYONE WHO NEEDS TO TACKLE ANY CHALLENGE, THE HILUX WILL WITHOUT A DOUBT BE THE TOUGHEST BAKKIE AROUND. WITH BETTER TORQUE, MORE DRIVING ENJOYMENT, MORE LUXURY COMFORTS AND BETTER STABILITY ON AND OFF-ROAD. THE HILUX SETS THE BAR FOR THE NEXT GENERATION.



A NEW GENERATION OF ADVANCED ENGINES
GREATLY ENHANCED OUTPUT POWER
BETTER TORQUE
IMPROVED FUEL CONSUMPTION
BETTER LOW SPEED OFF-ROAD PERFORMANCE
LOWER CO<sub>2</sub>

ACCESSORISED MODEL SHOWN 2.8 GD-6 RB RAIDER 6MT






# START

NEW TECHNOLOGY HAS BEEN DEVELOPED TO INCREAS CAPACITY AND ENGINE OUTPUT. LOW-SPEED TORQUE CAPABILITIES GIVE GREATER CONTROL AND HANDLING, WHILE THE SIX-SPEED\* TRANSMISSION UNLEASHES THE BEAST IN SITUATIONS WHERE

### YOUR


ACCELERATION, OVERTAKING OR SPEED IS OF THE ESSENCE. THE SOPHISTICATED TORQUE MEANS BETTE FUEL CONSUMPTION AND A MORE ENJOYABLE DRIVING EXPERIENCE

# ENGINES



DIESEL ENGINES






### The **2.4 GD diesel engine** has been boosted with increased and 343 Nm of torque at 1400-

torque at 1600-2000 r/mir In the latter, peak torque arrives as early as 1600 r/min improving fuel efficiency while still delivering on engagement

2.8 GD-6 MT 2.8 GD-6 AT 1 2 3 4 1 2 3 4 ENGINE SPEED (X103RPM) ENGINE SPEED (X103RPM) 1GD HI

### The 2.8 GD-6 diesel engine offers torque of 420 Nm at 1400-2600 r/min on the manual transmission. This is provided through the wide powerband and is very useful when overtaking or towing.

The 2.8 GD-6 engine also offers 450 Nm at 1600-2400 r/min on automatic transmission models For stronger acceleration, peak torque is available from 1600-2400 r/min. Power is at 130 kW @ 3400 r/min for both transmissions.



PETROL ENGINES

### ENGINE SPEED (X103RPM) 2TR-FE

In the 2.7 VVTi 4-cylinder petrol engine, the torque has 122 kW @ 5200 r/min



The 4.0 V6 petrol engine produces power of 175 kW @ 5200 r/min and torque of 376 Nm @ 3800 r/min



### DRIVE MODE SELECT\*

has been added on the Hilux giving you two options:

### **ECO DRIVE MODE\***

Simply activate the switch and a 'gentler' system will kick in. When in use, Eco Drive softens acceleration input and uses less power - and less fuel-on features such as the heating, cooling and ventilation

### Similarly, choose POWER DRIVE MODE\*

for a more aggressive, engaged drive. This option works by sharpening and heightening throttle response.



# TRADEMARKED AS INTELLIGENT MANUAL TRANSMISSION (iMT)\*


\*Available on selected models only

Developed to accommodate the sophisticated torque system in the new engines, the newly designed six-speed\* manual transmission achieves smooth gear changes and gives you a flexible, dynamic driving performance at any speed.

This advanced innovation pushes Toyota right to the front of the pack. In the Hilux, this means that your moves are anticipated and responded to intelligently: the engine speed is matched to the transmission speed, resulting in gear changes with no disruption. Changing up, the engine speed is matched to the next level - no jerks, no uneven acceleration noises. During downshifts the same happens, keeping the revs smooth and seamless.

A TOUGH SPORT \_\_\_\_





Through muddy terrain and crumbling mountain passes, the differential lock\* secures traction and ensures that you can get out of anywhere with complete

the mounting of the front shock absorbers is now more rigid, resulting in excellent driving comfort and handling stability. The leaf spring rear suspension is wider apart than before, making the Hilux more secure and stable - even when loaded to the hilt. And you can take corners with complete confidence, as power steering has been improved to match all other





### **KEEPING IT UNDER CONTROL**

When towing, Trailer-Sway Control (TSC)\* stabilises the connection between your Hilux and a trailer so that crosswinds, under-winds and variations in the road surface mean nothing to you. Steering operations are stronger: TSC suppresses extra movement before it gets beyond your brake or steer range, making sure the trailer is steady and stays completely within your control.

### THE TOUGHEST 4X4 BY FAR

The Hilux is a superior 4x4\* and off-road vehicle in all ways. Starting at the base, the 18"\* all-terrain tyres have a new tread for superior grip and improved comfort, both on- and off-road. It follows that because suspension has been bettered, wheel articulation must improve too: when traversing rocky terrain, the up and down movement range of the left and right wheels balance out to create a more stable, comfortable drive. And no matter what you're driving over, the stronger, wider undercover protects your Hilux from damage.

The dashboard has also been modernised: the lever on the centre console has been replaced with an electronic transfer switch\*. At any given moment, simply flip the switch and choose between 4WD, 4WD LOW and 2WD.





The most striking features are the bullish,prominent front grille and the powerful LED\* headlamps - a combination that sets the Hilux apart from the pack. The Raised Body Raider and Raider models take it even further with additional front LED fog lamps. 18" alloy wheels accentuate the design on selected models.

The bold, aggressive, design runs throughout the vehicle. From the side, you'll see sculpted wheel flares and integrated over-fender aero stabilising fins on the exterior mirrors.

# TOUGH ENOUGH TO MAKE YOUR HEART SKIP A BEAT. THE FINISHES ON THE HILUX HAVE BEEN STREAMLINED TO DELIVER A MORE MASCULINE, ROBUST OUTLINE.

The exterior mirrors have integrated indicators\*, retract automatically\* and are electronically adjustable. The exterior mirrors, door handles and front grille of the Raised Body Raider and Raider models are finished in chrome. Black side steps allow for easy access on all SRX, Raised Body Raider and Raider models.

"The Hilux is completed with a reinforced frame to make it more durable. It's tougher, stronger, more rigid and has been designed specifically to take on the toughest of conditions.





# THE LUXURY TOUGH











### **PACKING SMART**

There's no skimping on comfort or style advanced form meets function in a strong yet elegant combination. The new design creates a vehicle that is both tough and functional.

On the sleek instrument panel, the new 7" touchscreen audio\* system is a focal point. This touchscreen is DVD\* compatible and allows easy access to features like Bluetooth\*, fuel consumption information and audio. This system comes with a minimum of four\* or a maximum of six\* speakers. The SRX, Raised Body Raider and Raider models all come standard with a USB port for music. Across the range, legroom has been increased and improved seat ergonomics mean exceptional driving comfort for the driver and passengers.

There is also a 4.2" Thin Film Transistor (TFT)
Multi-Information Display\*. Split into four sections,
it gives you easy access to info such as outside
temperature, how many kilometres you've
travelled and how much longer you can go before
you need to fill up. These options can be accessed
through a switch\* on the steering wheel.

On the easy-grip, four-spoke steering wheel there are also switches\* to control your cellphone, info display and audio. The Raised Body Raider and Raider models up the game with a leather steering wheel, automatic air conditioner\*\*, cruise control\*\*\* and a reverse camera\*\*\*.

\*Available on selected models only

When it comes to space, the Raised Body Raider and Raider Double Cab interior layouts have been configured to provide more space options.

Simply manoeuvre the convenient tip-up rear seats into a combination of the 60:40 split and you'll either increase storage area or make more room for your fellow travellers.

There's space for all the extras you can possibly think of, thanks to front seats with back pockets\*, an overhead console\*\* and cup holders. In the centre there's a console box. There is also a dual-compartment glove box and the top compartment acts as a cool box\*, keeping items inside cool.

<sup>\*\*</sup>Double Cab models only

<sup>\*\*\*</sup>Double Cab and Xtra Cab models only



The Double Cab will carry you, your passengers and all your gear to any destination with ease.
The Double Cab models combine toughness, comfort and luxury.
Chrome\* exterior finishes add even more style and all the standard safety features make your journey that much safer and more enjoyable.

MODEL LINE-UP

2.4 GD-6 4x4 SRX

2.4 GD-6 4x4 SR

2.4 GD-6 RB SRX

2.4 GD-6 4X4 SRX AT

2.7 VVTi RB SRX


2.8 GD-6 RB Raider

2.8 GD-6 RB Raider AT

2.8 GD-6 4x4 Raider

2.8 GD-6 4x4 Raider AT

4.0 V6 4x4 Raider AT



DOUBLE CAB

DUUDLE GAD										
Engine and drivetrain	2.4 GD-6 4x4 SRX	2.4 GD-6 4x4 SR	2.4 GD-6 RB SRX	2.4 GD-6 4X4 SRX AT	2.7 VVTi RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4 Raider AT	4.0 V6 4x4 Raider
1st Gear ratio	4.784	4.784	4.784	3.600	4.313	4.784	3.600	4.784	3.600	3.600
2 <sup>nd</sup> Gear ratio	2.423	2.423	2.423	2.090	2.330	2.423	2.090	2.423	2.090	2.090
3™ Gear ratio	1.443	1.443	1.443	1.488	1.436	1.443	1.488	1.443	1.488	1.488
4 <sup>th</sup> Gear ratio	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
5 <sup>th</sup> Gear ratio	0.777	0.777	0.777	0.687	0.838	0.826	0.687	0.826	0.687	0.687
6 <sup>th</sup> Gear ratio	0.643	0.643	0.643	0.580		0.643	0.580	0.643	0.580	0.580
Auto disconnecting front differential										
Bore x stroke (mm)	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	95.0x95.0	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	94.0 x 95.0
Compression ratio	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	10.2 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	10.0 : 1
Differential lock										
Displacement (cm³)	2393	2393	2393	2393	2694	2755	2755	2755	2755	3956
Driven wheels	4WD/Part-Time	4WD/Part-Time	RWD	4WD/Part-Time	RWD	RWD	RWD	4WD/Part-Time	4WD/Part-Time	4WD/Part-Time
Emission control	Euro 2-without OBD	Euro 2-without OB								
Fuel system	Diesel	Diesel	Diesel	Diesel	Petrol	Diesel	Diesel	Diesel	Diesel	Petrol
Maximum power (kW @ r/min)	110 @ 3400	110 @ 3400	110 @ 3400	110 @ 3400	122 @ 5200	130 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400	175 @ 5200
Maximum torque (Nm @ r/min)	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	245 @ 4000	420 @ 1400-2600	450 @ 1600-2400	420 @ 1400-2600	450 @ 1600-2400	376 @ 3800
Number of cylinders and arrangement	Inline-4	V-Type-6								
Stabiliser	Front only	Front only								
Transmission	Manual-6-speed	Manual-6-speed	Manual-6-speed	Automatic-6-speed	Manual-5-speed	Manual-6-speed	Automatic-6-speed	Manual-6-speed	Automatic-6-speed	Automatic-6-spee
Suspension (Front)	Double wishbone	Double wishbone								
Suspension (Rear)	Leaf spring-rigid axle	Leaf spring-rigid ax								
Wheels and tyres										
Spare tyre	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-alloy	Full-alloy	Full-alloy	Full-alloy	Full-alloy
Wheels and tyres	265/765R17 Alloy	225/70R17C Steel	265/65R17 Alloy	265/765R17 Alloy	265/65R17 Alloy	265-60R18 Alloy				
Exterior features										
Mud guards	Front and rear	Front and rear								
Side step										
Daytime Running Lights (DRL)										
Exterior door handles	Black	Black	Black	Black	Black	Chrome	Chrome	Chrome	Chrome	Chrome

### DOUBLE CAB

DUUBLE GAB										
Exterior features	2.4 GD-6 4x4 SRX	2.4 GD-6 4x4 SR	2.4 GD-6 RB SRX	2.4 GD-6 4X4 SRX AT	2.7 VVTiRB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4 Raider AT	4.0 V6 4x4 Raider AT
Front fog lamps	Halogen	Halogen	Halogen	Halogen	Halogen	LED	LED	LED	LED	LED
Headlights	Halogen	Halogen	Halogen	Halogen	Halogen	LED	LED	LED	LED	LED
Headlamp Levelling	Manual	Manual	Manual	Manual	Manual	Automatic	Automatic	Automatic	Automatic	Automatic
High-mounted brake light	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
Auto light control system with follow me home						•			•	
Electrically adjustable exterior mirrors	Black with indicator and power	Black, power	Black with indicator and power	Black with indicator and power	Black with indicator and power	Chrome with indicator and retractable	Chrome with indicator and retractable	Chrome with indicator and retractable	Chrome with indicator and retractable	Chrome with indicator and retractable
Front grille	Colour	Colour	Colour	Colour	Colour	Chrome	Chrome	Chrome	Chrome	Chrome
Rear step bumper			•							٠
Interior, comfort and convenience										
4WD indicator										
4WD selector switch										
Centre console box										
Cup holders										
Front and rear door pockets										
Lockable glove box						with cool box	with cool box	with cool box	with cool box	with cool box
Key reminder warning	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer
2 <sup>nd</sup> row seats	United folding	United folding	United folding	United folding	United folding	60:40	60:40	60:40	60:40	60:40
Steering wheel	4 Spoke/Urethane	4 Spoke/Urethane	4 Spoke/Urethane	4 Spoke/Urethane	4 Spoke/Urethane	4 Spoke/Leather	4 Spoke/Leather	4 Spoke/Leather	4 Spoke/Leather	4 Spoke/Leather
Seat back pockets										
Cruise control						•				
Air conditioner			•			Auto	Auto	Auto	Auto	Auto
Audio system	·			·		DAB, RDS and display audio	DAB, RDS and display audio	DAB, RDS and display audio	DAB, RDS and display audio	DAB, RDS and display audio
Reverse camera										
Bluetooth			•							
Disc type	CD		CD	CD	CD	DVD	DVD	DVD	DVD	DVD
Light remind warning										
Multi-Information Display (MID)			•			TFT	TFT	TFT	TFT	TFT
Navigation system: SD card and touch screen										

DOUBLE CAB

Interior, comfort and convenience	2.4 GD-6 4x4 SRX	2.4 GD-6 4x4 SR	2.4 GD-6 RB SRX	2.4 GD-6 4X4 SRX AT	2.7 VVTi RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4 Raider AT	4.0 V6 4x4 Raider AT
Power socket	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V X2 Front - 220V	Front - 12V X2 Front - 220V	Front - 12V X2 Front - 220V	Front - 12V X2 Front - 220V	Front - 12V X2 Front - 220V
Electric windows with one touch driver's side										
Rear armrest with 2 cup holders										
Speakers	4	4	4	4	4	6	6	6	6	6
Steering wheel switches: info display, telephone and audio		•								
USB port	•					•	•	•	•	
Safety and security										
Alarm, immobiliser and ultrasonic sensor		•								
Auto door lock		•								
Child lock										
Child restraint system (ISOFIX)		•								
Driver, front passenger and driver knee airbags		•								
Emergency brake signal										
Curtain and front side airbags										
Power door lock										
Seat belt warning: buzzer and light		•								
Wireless door lock	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote
Anti-lock Braking System (ABS)		•								
Brake-Assist (BA)		•								
Electronic Brake-force Distribution (EBD)										
Hill-Assist Control (HAC)										
Traction-Control (TRC)	Active Traction Control (ATRC)	Active Traction Control (ATRC)	•	Active Traction Control (ATRC)				Active Traction Control (ATRC)	Active Traction Control (ATRC)	Active Traction Control (ATRC)
Vehicle-Stability Control (VSC)										
Trailer-Sway Control (TSC)								•		
Drive Mode Select: Eco and Sport						with iMT		with iMT		
Downhill-Assist Control (DAC)										

### DOUBLE CAB

Dimensions and capacities	2.4 GD-6 4x4 SRX	2.4 GD-6 4x4 SR	2.4 GD-6 RB SRX	2.4 GD-6 4X4 SRX AT	2.7 VVTi RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4 Raider AT	4.0 V6 4x4 Raider AT
Front overhang (mm)	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
Front tread (mm)	1535	1495	1535	1535	1535	1535	1535	1535	1535	1535
Fuel tank size (I)	80	80	80	80	80	80	80	80	80	80
Gross Combination Mass (GCM)	5850	5850	5530	5850	5210	5560	5560	5850	5850	5750
Ground clearance (mm)	286	286	286	286	286	286	286	286	286	286
Gross Vehicle Mass (GVM)	2910	2910	2810	2910	2710	2810	2810	2910	2910	2870
Height (mm)	1815	1815	1815	1815	1815	1815	1815	1815	1815	1815
Interior height (mm)	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170
Length (mm)	5330	5330	5330	5330	5330	5330	5330	5330	5330	5330
Rear overhang (mm)	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250
Rear tread (mm)	1550	1510	1550	1550	1550	1550	1550	1550	1550	1550
Towing capacity - Unbraked (kg)	750	750	750	750	750	750	750	750	750	750
Towing capacity - Braked (kg)	3200	3200	2750	3200	2500	2750	2750	3500	3500	3000
Turning circle (tyres, m)	6.4	6.3	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4
Wheelbase (mm)	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085
Width (mm)	1855	1800	1855	1855	1855	1855	1855	1855	1855	1855
Fuel consumption (combined cycle) (I/100km)	7,3	7,3	7,1	8.2	10.7	7,6	8,0	7,6	8,5	11.8
CO <sub>2</sub> emissions (g/km)	191	191	187	217	253	199	210	200	224	280
Service plan										
Service intervals (km)	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000
Service plan	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km			















040 GLACIER WHITE

1D6 CHROMIUM SILVER

1G3 GRAPHITE GREY METALLIC

218 ATTITUDE BLACK

3T6 ARIZONA RED

4V8 AVANT GARDE BRONZE METALLIC 8X2 COSMIC BLUE





These tough vehicles are renowned for their Quality, Durability and Reliability (QDR).

Tough doesn't mean unsophisticated: with advanced features such as Brake-Assist (BA), Anti-lock Braking System (ABS), Electronic Brake-force Distribution (EBD), driver and front passenger\* airbags and an alarm with an immobiliser and ultrasonic sensor are all part of the package.

\*Available on selected models

MODEL LINE-UP

2.0 VVTi 5MT

2.0 VVTi 5MT A/C

2.4 GD 5MT

2.4 GD 5MT A/C

2.4 GD-6 RB SRX

2.4 GD-6 4x4 SRX

2.4 GD-6 4X4 SRX AT

2.4 GD-6 4x4 SR


2.7 VVTi RB SRX

2.8 GD-6 RB Raider

2.8 GD-6 RB Raider AT

2.8GD-6 4x4 Raider

2.8 GD-6 4X4 Raider AT



SINGLE CAB

Engine and drivetrain	2.0 VVTi 5MT	2.0 VVTi 5MT A/C	2.4 GD 5MT	2.4 GD 5MT A/C	2.4 GD-6 RB SRX	2.4 GD-6 4x4 SRX	2.4 GD-6 4X4 SRX AT	2.4 GD-6 4x4 SR	2.7 VVTiRB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8GD-6 4x4 Raider	2.8 GD-6 4X4 Raider AT
1 <sup>st</sup> Gear ratio	4.313	4.313	4.313	4.313	4.784	4.784	3.600	4.784	4.313	4.784	3.600	4.784	3.600
2 <sup>nd</sup> Gear ratio	2.330	2.330	2.330	2.330	2.423	2.423	2.090	2.423	2.330	2.423	2.090	2.423	2.090
3™ Gear ratio	1.436	1.436	1.436	1.436	1.443	1.443	1.488	1.443	1.436	1.443	1.488	1.443	1.488
4 <sup>th</sup> Gear ratio	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
5 <sup>th</sup> Gear ratio	0.838	0.838	0.838	0.838	0.777	0.777	0.687	0.777	0.838	0.826	0.687	0.826	0.687
6 <sup>th</sup> Gear ratio					0.643	0.643	0.580	0.643		0.643	0.580	0.643	0.580
Auto disconnecting front differential													
Bore x stroke (mm)	86.0 x 86.0	86.0 x 86.0	92.0 x 90.0	95.0 x 95.0	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6					
Compression ratio	10.4 : 1	10.4:1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	10.2 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1
Differential lock													
Displacement (cm³)	1998	1998	2393	2393	2393	2393	2393	2393	2694	2755	2755	2755	2755
Emission control	Euro 2-without OBD	Euro 2-without OB											
Fuel system	Petrol	Petrol	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Petrol	Diesel	Diesel	Diesel	Diesel
Maximum power (kW @ r/min)	102 @ 5600	102 @ 5600	110 @ 3400	110 @ 3400	110 @ 3400	110 @ 3400	110@3400	110 @ 3400	122 @ 5200	130 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400
Maximum torque (Nm @ r/min)	183 @ 4000	183 @ 4000	343 @ 1400-2800	343 @ 1400-2800	400 @ 1600-2000	400 @ 1600-2000	400@1600-2000	400 @ 1600-2000	245 @ 4000	420 @ 1400-2600	450 @ 1400-2600	420 @ 1400-2600	450 @ 1400-2600
Number of cylinders and arrangement	Inline-4												
Transmission	Manual-5-speed	Manual-5-speed	Manual-5-speed	Manual-5-speed	Manual-6-speed	Manual-6-speed	Automatic-6-speed	Manual-6-speed	Manual-5-speed	Manual-6-speed	Automatic-6-speed	Manual-6-speed	Automatic-6-spee
Suspension (Front)	Double wishbone												
Suspension (Rear)	Leaf spring-rigid axle												
Wheels and tyres													
Spare tyre	Full-steel	Full-alloy	Full-alloy	Full-alloy	Full-alloy								
Wheels and tyres	205/70R15 Steel	205/70R15 Steel	205/70R15 Steel	205/70R15 Steel	265/65R17 Alloy	265/65R17 Alloy	265/65R17 Alloy	225/70R17 Steel	265/65R17 Alloy	265/60R18 Alloy	265/60R18 Alloy	265/60R18 Alloy	265/60R18 Alloy

NGL		

SINGLE CAB													
Exterior features	2.0 VVTi 5MT	2.0 VVTi 5MT A/C	2.4 GD 5MT	2.4 GD 5MT A/C	2.4 GD-6 RB SRX	2.4 GD-6 4x4 SRX	2.4 GD-6 4X4 SRX AT	2.4 GD-6 4x4 SR	2.7 VVTi RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8GD-6 4x4 Raider	2.8 GD-6 4X4 Raider AT
Daytime Running Lights (DRL)													
Door outside handles	Black	Black	Black	Black	Black	Black	Black	Black	Black	Chrome	Chrome	Chrome	Chrome
Front fog lamps					Halogen	Halogen	Halogen	Halogen	Halogen	LED	LED	LED	LED
High-mounted brake light	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
Auto light control system with follow me home													
Electrically adjustable exterior mirrors	Black, power	Black, power	Black, power	Black, power	Black with indicator and power	Black with indicator and power	Black with indicator and power	Black, power	Black with indicator and power	Chrome with indicator and retractable			
Front grille	Black	Black	Black	Black	Colour	Colour	Colour	Colour	Colour	Chrome	Chrome	Chrome	Chrome
Rear step bumper													
Front and rear mud guards													
Side step													
Interior, comfort and convenience													
4WD indicator													
4WD selector switch													
Centre console box													
Cup holders													
Door pockets													
Lockable glove box										with cool box	with cool box	with cool box	with cool box
Key reminder warning													
Air conditioner													
Audio system										Display audio, DAB and RDS			

### SINGLE CAB

Interior, comfort and convenience	2.0 VVTi 5MT	2.0 VVTi 5MT A/C	2.4 GD 5MT	2.4 GD 5MT A/C	2.4 GD-6 RB SRX	2.4 GD-6 4x4 SRX	2.4 GD-6 4X4 SRX AT	2.4 GD-6 4x4 SR	2.7 VVTi RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8GD-6 4x4 Raider	2.8 GD-6 4X4 Raider AT
Bluetooth													
Disc type					CD	CD	CD		CD	DVD	DVD	DVD	DVD
Multi-Information Display (MID)										TFT	TFT	TFT	TFT
Power socket	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V X2	Front - 12V X2	Front - 12V X2	Front - 12V X2
Electric windows with one touch driver's side													
Speakers	2	2	2	2	2	2	2	2	2	4	4	4	4
Steering wheel switches: info display, telephone and audio													
USB													
Safety and security													
Alarm, immobiliser and ultrasonic sensor			·		٠	٠	·					·	
Driver and front passenger airbags	Driver only	Driver only	Driver only	Driver only									
Curtain airbags													
Emergency brake signal													
Anti-lock Braking System (ABS)									-				
Brake-Assist (BA)													
Electronic Brake-force Distribution (EBD)													
Hill-Assist Control (HAC)													
Traction-Control (TRC)						Active Traction Control (ATRC)	Active Traction Control (ATRC)	Active Traction Control (ATRC)				Active Traction Control (ATRC)	Active Traction Control (ATRC)
Vehicle-Stability Control (VSC)													
Trailer-Sway Control (TSC)													
Drive Mode Select: Sport and Eco										with iMT		with iMT	

### SINGLE CAB

Dimensions and capacities	2.0 VVTi 5MT	2.0 VVTi 5MT A/C	2.4 GD 5MT	2.4 GD 5MT A/C	2.4 GD-6 RB SRX	2.4 GD-6 4x4 SRX	2.4 GD-6 4X4 SRX AT	2.4 GD-6 4x4 SR	2.7 VVTi RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8GD-6 4x4 Raider	2.8 GD-6 4X4 Raider AT
Front overhang (mm)	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
Front tread (mm)	1510	1510	1510	1510	1535	1535	1535	1495	1535	1535	1535	1535	1535
Gross Combination Mass (GCM)	4200	4200	5280	5280	5500	5850	5850	5850	5150	5500	5500	5850	5850
Ground clearance (mm)	187	187	194	194	269	269	269	269	269	269	269	269	269
Gross Vehicle Mass (GVM)	2700	2700	2810	2810	2870	2870	2870	2870	2650	2750	2750	2870	2870
Height (mm)	1690	1690	1690	1690	1795	1795	1795	1795	1795	1795	1795	1795	1795
Length (mm)	5270	5270	5270	5270	5330	5330	5330	5330	5330	5330	5330	5330	5330
Rear overhang (mm)	1180	1180	1180	1180	1250	1250	1250	1250	1250	1250	1250	1250	1250
Rear tread (mm)	1510	1510	1510	1510	1550	1550	1550	1510	1550	1550	1550	1550	1550
Towing capacity - Unbraked (kg)	750	750	750	750	750	750	750	750	750	750	750	750	750
Towing capacity - Braked (kg)	1500	1500	2500	2500	2750	3200	3200	3200	2500	2750	2750	3500	3500
Turning circle (tyres, m)	5.9	5.9	5.9	5.9	6.4	6.4	6.4	6.3	6.4	6.4	6.4	6.4	6.4
Wheelbase (mm)	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085
Width (mm)	1800	1800	1800	1800	1855	1855	1855	1800	1855	1855	1855	1855	1855
Service Plan													
Service intervals (km)	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000	10 000
Service plan	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km						





1D6 CHROMIUM SILVER









040 GLACIER WHITE

1G3 GRAPHITE GREY METALLIC 3T6 ARIZONA RED

4V8 AVANT GARDE BRONZE METALLIC

8X2 COSMIC BLUE



### IT'S A COST-EFFECTIVE SOLUTION: THE XTRA CAB NOT ONLY OFFERS YOU MORE STORAGE SPACE, YOU'RE ALSO **GETTING A VEHICLE THAT COMBINES** FUNCTION AND STYLE.

The Xtra Cab has been designed to improve cabin accessibility and convenience. The models have been fitted with rearaccess doors. But just because it looks smart, doesn't mean it won't play rough. All the advanced features you expect from a Hilux, plus the safety and reliability of choosing Toyota, are to be expected. The Xtra Cab models all come with safety features in the form of **Brake-Assist (BA)**, Anti-lock Braking System (ABS), Electronic Brakeforce Distribution (EBD), Vehicle-Stability Control (VSC), Trailer-Sway Control (TSC) and Hill-Start **Assist Control (HAC).** 

2.4 GD-6 RB SRX 2.8 GD-6 RB Raider 2.8 GD-6 RB Raider AT 2.8 GD-6 4x4 Raider 2.8 GD-6 4x4RaiderAT



### XTRA CAB

Engine and drivetrain	2.4 GD-6 RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4RaiderAT
1 <sup>st</sup> Gear ratio	4.784	4.784	3.600	4.784	3.600
2 <sup>nd</sup> Gear ratio	2.423	2.423	2.090	2.423	2.090
3™ Gear ratio	1.443	1.443	1.488	1.443	1.488
4 <sup>th</sup> Gear ratio	1.000	1.000	1.000	1.000	1.000
5 <sup>th</sup> Gear ratio	0.777	0.826	0.687	0.826	0.687
6 <sup>th</sup> Gear ratio	0.643	0.643	0.580	0.643	0.580
Auto disconnecting front differential					
Bore x stroke (mm)	92.0 x 90.0	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6
Compression ratio	15.6:1	15.6 : 1	15.6 : 1	15.6:1	15.6:1
Differential lock					
Displacement (cm³)	2393	2755	2755	2755	2755
Emission control	Euro 2-without OBD				
Fuel system	Diesel	Diesel	Diesel	Diesel	Diesel
Maximum power (kW @ r/min)	110 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400
Maximum torque (Nm @ r/min)	400 @ 1600-2000	420 @ 1400-2600	450 <u>@</u> 1400-2600	420 @ 1400-2600	450 @ 1400-2600
Number of cylinders and arrangement	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4
Suspension (Front)	Double wishbone				
Suspension (Rear)	Leaf spring-rigid axle				
Transmission	Manual-6-speed	Manual-6-speed	Automatic-6-speed	Manual-6-speed	Automatic-6-speed
Wheels and tyres					
Spare tyre	Full-steel	Full-alloy	Full-alloy	Full-alloy	Full-alloy
Wheels and tyres	265/65R17 Alloy	265/60R18 Alloy	265/60R18 Alloy	265/60R18 Alloy	265/60R18 Alloy

### XTRA CAB

Exterior features	2.4 GD-6 RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4RaiderAT
Front and rear mud guards					
Side step					
Daytime Running Lights (DRL)					
Exterior door handles	Black	Chrome	Chrome	Chrome	Chrome
High-mounted brake light	LED	LED	LED	LED	LED
Front fog lamps	Halogen	LED	LED	LED	LED
Auto light control system with follow me home					
Electrically adjustable exterior mirrors	Black with indicator	Chrome with indicator and retractable			
Front grille	Colour	Chrome	Chrome	Chrome	Chrome
Rear step bumper	·				
Interior, comfort and convenience					
4WD indicator					
4WD selector switch					
Centre console box					
Cup holders					
Front door pockets					
Lockable glove box		with cool box	with cool box	with cool box	with cool box
Key reminder warning					
Steering Wheel	4 Spoke/Urethane	4 Spoke/Leather	4 Spoke/Leather	4 Spoke/Leather	4 Spoke/Leather
Seat back pockets					
Cruise control					
Air conditioner					

### XTRA CAB

Militaria					
Interior, comfort and convenience	2.4 GD-6 RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4RaiderAT
Audio system		Display audio, DAB and RDS	Display audio, DAB and RDS	Display audio, DAB and RDS	Display audio, DAB and RDS
Reverse camera					
Bluetooth					
Disc type	CD	DVD	DVD	DVD	DVD
Light reminder warning	Buzzer	Buzzer	Buzzer	Buzzer	Buzzer
Multi-Information display		TFT	TFT	TFT	TFT
Power socket	Front - 12V	Front - 12V X2	Front - 12V X2	Front - 12V X2	Front - 12V X2
Front electric windows with one touch driver's side					
Speakers	2	6	6	6	6
Steering wheel switches: info display, telephone and audio					
USB					
Safety and security					
Alarm, immobiliser and ultrasonic sensor	·				
Emergency Brake Signal	·				
Driver, front passenger and curtain shield airbags	Driver, front passenger only				
Seat belt warning: buzzer and light	·				·
Anti-lock Braking System (ABS)	·				
Brake-Assist (BA)	·				
Electronic Brake-force Distribution (EBD)					
Traction Control (TRC)				Active Traction Control (ATRC)	Active Traction Control (ATRC)
Hill-Assist Control (HAC)	·				·
Vehicle-Stability Control (VSC)					
Trailer-Sway Control (TSC)					
Drive Mode Select: Eco and Sport		with iMT		with iMT	
<del></del>					

### XTRA CAB

Dimensions and capacity	2.4 GD-6 RB SRX	2.8 GD-6 RB Raider	2.8 GD-6 RB Raider AT	2.8 GD-6 4x4 Raider	2.8 GD-6 4x4RaiderAT
Front overhang (mm)	1000	1000	1000	1000	1000
Front tread (mm)	1535	1535	1535	1535	1535
Gross Combination Mass (GCM)	5500	5500	5500	5850	5850
Ground clearance (mm)	284	284	284	284	284
Gross Vehicle Mass (GVM)	2750	2750	2750	2860	2860
Height (mm)	1810	1810	1810	1810	1810
Length (mm)	5330	5330	5330	5330	5330
Rear overhang (mm)	1250	1250	1250	1250	1250
Rear tread (mm)	1550	1550	1550	1550	1550
Towing capacity - Unbraked (kg)	750	750	750	750	750
Towing capacity - Braked (kg)	2750	2750	2750	3500	3500
Turning circle (tyres, m)	6.4	6.4	6.4	6.4	6.4
Wheelbase (mm)	3085	3085	3085	3085	3085
Width (mm)	1855	1855	1855	1855	1855
Service plan					
Service intervals (km)	10 000	10 000	10 000	10 000	10 000
Service plan	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km	5 years / 90000 km







D40 GLACIER WHITE 1DG CHROMIUM SILVER 1G3 GRAPHITE GREY METALLIC 3TG ARIZONA RED 4V8 AVANT GARDE BRONZE METALLIC 8X2 COSMIC BLUE



Not only has the Hilux been kitted out with seven airbags\* (distributed along driver, front passenger\*, curtain shield\*, driver knee\* and front side\* airbags), but extra-strength steel and high-strength structures have been reinforced to reduce the possibility of passenger injuries.

Impact-absorbing structures have also been incorporated in the engine hood and front fender to reduce injury to the head and legs of pedestrians during a collision.

Safety features include:

### ANTI-LOCK BRAKING SYSTEM (ABS)

ABS regulates the hydraulic pressure of the brakes, and a load-sensing proportioning and bypass valve optimise the effectiveness of the rear brakes.

### ISOFIX CHILD RESTRAINT SYSTEM\*\*

The ISOFIX child restraint system assists and secures your children in the rear seat.

### **ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)**

EBD ensures that you're always in control, even in potentially dangerous situations.

### **VEHICLE-STABILITY CONTROL (VSC)\***

VSC keeps power and drive balanced and responsive to the situation.

### **BRAKE-ASSIST (BA)**

BA strengthens the power on the brakes, in the case of a panic stop.

\*Available on selected models only

\*\*Double Cab models only

## SAFETY EVOLVED

# YOU JUST **—TOUGH**

Advanced security technology has been incorporated on all models. As soon as you start moving, the auto door lock is activated. All models are also fitted with remote central locking. Once locked, the anti-theft system is activated. It features an independently powered alarm, immobiliser, and ultrasonic glass breaking and movement sensor, ensuring that your Hilux remains just that – yours.



### TOUGH ON THE ROAD, NOT ON THE ENVIRONMENT.

Hilux drivers share a passion for adventure and the beauty of the great outdoors. That's why we're dedicated to preserving the environment for future generations. The fuel-efficient engines of the Hilux range help reduce CO₂ emissions and the carbon footprint of the vehicles. Plastics that are highly-recyclable are used in the instrument panel, door trims and the majority of the interior and exterior components. The plastic components have also been uniquely designed so that they are easier to dismantle for recycling.

Toyota is serious about combating the problems associated with waste tyres in the country and has therefore taken up its producer responsibility as defined by the Waste Management Act of 2008.

Waste Tyre Registration Number: TPREG0031GAU



### FUSING THE BEST OF STYLE AND PRACTICALITY, THE HILUX COMES WITH A WIDE RANGE OF GENUINE TOYOTA ACCESSORIES TO CHOOSE FROM. GENUINE TOYOTA ACCESSORIES ARE ENGINEERED AND TESTED WITH THE ABSOLUTE ASSURANCE OF SUPERIOR QUALITY, DURABILITY AND RELIABILITY.

# WHEN — MORE MEANS MORE

For a full range of Genuine Toyota Accessories visit www.toyota.co.za













STEPS. OVER FENDERS. ALLOY WHEELS. FOG LAMP CHROME GARNISH. NUDGE BAR. BONNET GUARD AND HEADLAMP GUARDS













THE MODEL SHOWN IS ACCESSORISED WITH A STYLING BAR, ROOF ORNAMENT, SIDE VISORS, BODY SIDE MOULDING, SIDE STEPS, OVER FENDERS. ALLOY WHEELS. FOG LAMP CHROME GARNISH. NUDGE BAR. BONNET GUARD AND HEADLAMP GUARDS









STYLING BAR AND TONNEAU COVER



THE MODEL SHOWN IS ACCESSORISED WITH BAKKIE RAILS, SIDE VISORS, SIDE STEPS, NUDGE BAR, BONNET GUARD AND HEADLAMP GUARDS



### TOYOTA FINANCIAL SERVICES

There is no 'one-size-fits-all' when it comes to vehicle finance and insurance, there is only you. With fast, flexible and convenient services we will structure the perfect Hilux deal for you.

At Toyota Financial Services, we believe that purchasing your Toyota should be as enjoyable as driving it. Toyota Financial Services is the fast, flexible and convenient means of financing your Hilux. We have created a range of financial products that suit both private and business customers, easily accessible through your local Toyota dealer. We take the hassle out of arranging finance.

Toyota Financial Services (South Africa) Ltd is an authorised Financial Services (FSP No. 7454) and Registered Credit Provider (NCRCP62). For comprehensive information about products offered by Toyota Financial Services, visit www.toyota.co.za/toyota-finance





Toyota vehicles are known for their Quality, Durability and Reliability. Keeping your Toyota Genuine means no compromises in terms of safety, performance and resale value. The range of Genuine Products and Approved Service will ensure complete peace of mind throughout the ownership journey and beyond. For more information on how to keep your Toyota genuine visit www.toyota.co.za/genuine

### **TOYOTA GENUINE PRODUCTS**

For guaranteed fit and function, Genuine Parts are essential in maintaining the safety and reliability of your vehicle. Genuine Parts comply with all safety, regulatory and environmental requirements, making it the obvious choice. The same exacting precision applies to **Toyota Accessories**, developed by engineers with extensive knowledge on vehicle integration - you can enhance the appeal and functionality of your Hilux without compromising its safety features or warranty. Warranties are about peace of mind, and the **Genuine Unlimited Warranty** is designed to provide superior cover (6 years/unlimited and 8 years/unlimited) and a seamless claims process thanks to full integration with Toyota systems. The **Genuine Extended Service Plan** also enjoys exclusive approval by Toyota SA and provides flexible extension options up to 7 years or 200 000 km to suit your period of ownership. Paying today's rates for tomorrow's maintenance is a sensible way to protect the resale value of your Hilux by means of a full service history.

### TOYOTA APPROVED SERVICES

Specialised vehicle maintenance requires first-class facilities, advanced equipment and expert knowledge. Toyota Quality Service not only promises accurate diagnosis and repair, but also a philosophy of building trust through a genuine concern for the needs of our customers. To complement the extensive network of Toyota dealers, we have a vast number of **Accredited Body and Paint Repairers**, selected on stringent criteria to ensure outstanding workmanship and customer service. You can maintain your vehicle's pristine condition without compromising its warranty thanks to the exclusive use of Genuine Parts by our Accredited Repairers. Offering 24-hour access to a full complement of assistance and recovery benefits, **Toyota Roadside Assistance** provides the peace of mind that competent support is only a phone call away.

### TOYOTA GENUINE MEANS

✓ UNCOMPROMISED SAFETY
✓ GUARANTEED QUALITY
✓ PEACE OF MIND





Download the MyTOYOTA App from the Google Play Store or the Apple iStore to receive the latest Toyota news, keep an eye on your vehicle's finance and book your vehicle for a service. You can also book a test drive or arrange roadside assistance, all on your phone.

### DISCLAIMER:

The information contained in this brochure is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this brochure are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this brochure are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this brochure may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this brochure in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

